Atom Chips

Edited by Jakob Reichel and Vladan Vuletić

Related Titles

Stolze, J., Suter, D.

Quantum Computing
A Short Course from Theory to
Experiment

2008

ISBN: 978-3-527-40787-3

Matta, C.F., Boyd, R.J. (eds.)

The Quantum Theory of Atoms in Molecules From Solid State to DNA and Drug Design

2007

ISBN: 978-3-527-30748-7

Bruß, D., Leuchs, G. (eds.)

Lectures on Quantum Information

2007

ISBN: 978-3-527-40527-5

Vogel, W., Welsch, D.-G.

Quantum Optics

2006

ISBN: 978-3-527-40507-7

Bachor, H.-A., Ralph, T.C.

A Guide to Experiments in Quantum Optics

2004

ISBN: 978-3-527-40393-6

Weidemüller, M., Zimmermann, C. (eds.)

Interactions in Ultracold Gases
From Atoms to Molecules

2009

ISBN: 978-3-527-40750-7

Leuchs, G., Beth, T. (eds.)

Quantum Information Processing

2003

ISBN: 978-3-527-40371-4

Cohen-Tannoudji, C., Dupont-Roc, J., Grynberg, G.

Atom-Photon Interactions
Basic Processes and Applications

1998

ISBN: 978-0-471-29336-1

Atom Chips

Edited by Jakob Reichel and Vladan Vuletić



WILEY-VCH Verlag GmbH & Co. KGaA

The Editors

Prof. Jakob Reichel

Laboratoire Kastler Brossel de l'E.N.S. 24, rue Lhomond 75231 Paris Cedex 05 Frankreich

Prof. Vladan Vuletić

Massachusetts Inst. of Technology, Room 26-231 77, Massachusetts Avenue Cambridge, MA 02139-4309 USA All books published by Wiley-VCH are carefully produced. Nevertheless, authors, editors, and publisher do not warrant the information contained in these books, including this book, to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

Library of Congress Card No.: applied for

British Library Cataloguing-in-Publication Data: A catalogue record for this book is available from the British Library.

Bibliographic information published by the Deutsche Nationalbibliothek

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available on the Internet at http://dnb.d-nb.de.

© 2011 WILEY-VCH Verlag GmbH & Co. KGaA, Boschstr. 12, 69469 Weinheim, Germany

All rights reserved (including those of translation into other languages). No part of this book may be reproduced in any form – by photoprinting, microfilm, or any other means – nor transmitted or translated into a machine language without written permission from the publishers. Registered names, trademarks, etc. used in this book, even when not specifically marked as such, are not to be considered unprotected by law.

Typesetting le-tex publishing services GmbH, Leipzig

Printing and Binding Fabulous Printers Pte Ltd, Singapore Cover Design Adam Design, Weinheim

Printed in Singapore Printed on acid-free paper

ISBN 978-3-527-40755-2

Contents

Duefee	VI
Preface	XV

List of Contributors XVII

Part One	Fundamentals 1	
1	From Magnetic Mirrors to Atom Chips 3	
	Andrei Sidorov and Peter Hannaford	
1.1	Introduction 3	
1.2	Historical Background 4	
1.3	Magnetic Mirrors for Cold Atoms 7	
1.3.1	Basic Principles 7	
1.3.2	Experimental Realization of Magnetic Mirrors 9	
1.3.2.1	Macroscopic Array of Rare-Earth Magnets of Alternating Polarity 9	
1.3.2.2	Micro-Fabricated Grooved Magnetic Mirrors 10	
1.3.2.3	Micro-Fabricated Array of Current-Carrying Conductors 11	
1.3.2.4	Magneto-Optical Recording of Magnetic Microstructures 12	
1.4	The Magnetic Film Atom Chip 13	
1.4.1	Background 13	
1.4.2	BEC on a Magnetic Film Atom Chip 14	
1.4.3	Spatially Resolved RF Spectroscopy	
	to Probe Magnetic Film Topology 16	
1.4.4	Adiabatic Splitting of a BEC for Asymmetric Potential Sensing 19	
1.4.5	Spatially Inhomogeneous Phase Evolution	
	of a Two-Component BEC 21	
1.4.6	BEC on Other Permanent-Magnet Atom Chips 22	
1.5	Permanent Magnetic Lattice on a Magnetic Film Atom Chip 23	
1.5.1	Background 23	
1.5.2	Basic Principles 24	
1.5.2.1	One-Dimensional Magnetic Lattice 24	
1.5.2.2	Two-Dimensional Magnetic Lattice 25	
1.5.2.3	Permanent 1D Magnet Lattice for Ultra-Cold Atoms 26	
1.5.2.4	Other Permanent Magnetic Lattices 28	

I	
1.6	Summary and Conclusions 28 References 29
2	Trapping and Manipulating Atoms on Chips 33 Jakob Reichel
2.1	Introduction 33
2.2	Overview of Trapping Techniques 34
2.3	Magnetic Traps for Neutral Atoms 35
2.3.1	Magnetic Interaction 35
2.3.2	Stability against Spin-Flip Losses 36
2.3.3	Quadrupole Traps 37
2.3.4	Ioffe–Pritchard Traps 37
2.3.5	Some General Properties of Magnetic Traps 38
2.4	The Design of Wire Patterns for Magnetic Potentials 39
2.4.1	Conductor Elements and Multipoles 39
2.4.2	Wire Guide 40
2.4.3	Conductor Cross ("Dimple" Trap) 41
2.4.4	"H", "Z", and "U" Traps 43
2.4.5	Finite Wire Dimensions 44
2.4.6	Maximum Confinement 46
2.4.6	1 Field Gradient 46
2.4.6	2 Field Curvature and Trap Frequency 46
2.4.7	Combining Elements: Arrays, Conveyors and Others 47
2.5	Real Wires: Roughness and Maximum Current 48
2.5.1	Effect of Wire Roughness 48
2.5.2	Heat Transport and Maximum Current 49
2.5.2	1 Wire–Substrate Interface 49
2.5.2	2 Heat Evacuation through the Substrate 51
2.6	Loading Techniques 51
2.6.1	Mirror-MOT 51
2.6.2	8
2.6.3	"Mode Matching" 52
2.7	Vacuum Cells 53
2.7.1	
2.7.2	Compact Cell with Atom Chip Wall 55
2.8	Conclusion and Outlook 57
	References 58
3	Atom Chip Fabrication 61 Ron Folman, Philipp Treutlein and Jörg Schmiedmayer
3.1	Introduction 61
3.2	Fabrication Challenges 62
3.3	The Substrate 63
3.4	Lithography 65
3.4.1	Optical Lithography 65

3.4.2	Electron-Beam Lithography 67
3.5	Metallic Layers 68
3.5.1	Deposition and Etching 68
3.5.1.1	Electroplating 68
3.5.1.2	Evaporation and Lift-Off Metallization 70
3.5.1.3	Wet and Dry Etching 72
3.5.1.4	Designing Potentials by Postprocessing the Wires 73
3.5.2	Effects of Roughness and Homogeneity of the Fabricated Structures 74
3.5.3	Special Metals 76
3.5.3.1	Alloys 76
3.5.3.2	Superconductors 77
3.5.3.3	Semiconductors 79
3.5.4	Permanent Magnets 80
3.5.5	Metal Outlook 82
3.6	Additional Features 85
3.6.1	Planarization and Insulation 85
3.6.2	On-Chip Mirrors 87
3.6.3	Multi-Layer Chips 88
3.7	Current Densities and Tests 91
3.8	Photonics on Atom Chips 93
3.8.1	Fiber-Based Integrated Optics 93
3.8.1.1	SU8 – Holding Structures 93
3.8.1.2	Fiber-Based Fluorescence Detector 94
3.8.1.3	Fiber Cavities 95
3.8.2	Microlens and Cylindrical Lens 97
3.8.3	Microdisks and Microtoroids 98
3.8.4	Mounted and Fully Integrated Fabry–Pérots 99
3.8.5	Planar Optics 101
3.8.6	Photonics Outlook 102
3.9	Chip Dicing, Mounting, and Bonding 104
3.10	Further Integration and Portability 106
3.11	Conclusion and Outlook 109
	References 110
Part Two	Ultracold Atoms near a Surface 119
ı	Atoms at Micrometer Distances from a Macroscopic Body 121
	Stefan Scheel and E.A. Hinds
l.1	Introduction 121
1.2	Principles of QED in Dielectrics 123
1.3	Relaxation Rates near a Surface 126
l.3.1	Spin Flips near a Dielectric or Metallic Surface 126
1.3.2	Spin Flips near a Superconductor 130
1.3.3	Transverse Spin Relaxation 132
1.3.4	Heating 133
1.3.5	Electric Dipole Coupling of Molecules to a Surface 134

/III	Contents	
١		
	4.4	Casimir–Polder Forces 138
	4.5	Closing Remarks 144
		References 145
	5	Interaction of Atoms, Ions, and Molecules with Surfaces 147
		Carsten Henkel
	5.1	Qualitative Overview 147
	5.1.1	Electromagnetic Dipole Moments 148
	5.1.2	Electromagnetic Field Strengths 149
	5.1.3	Digression: Surface Green Functions 151
	5.2	Interaction Potentials 153
	5.2.1	Charges and Permanent Dipoles 153
	5.2.2	Van der Waals Potential 154
	5.2.3	Casimir–Polder Potential 155
	5.2.4	Recent Developments 156
	5.3	Surface-Induced Atomic Transitions 157
	5.3.1	Visible Frequencies: Spontaneous Emission 158
	5.3.2	Thermal Frequencies: Spin-Flips 159
	5.3.3	Trap Heating 161
	5.3.4	Atom Chips and Decoherence 162
	5.4	Perspectives 165
		References 166
	Part Thre	ee Coherence on Atom Chips 171
	6	Diffraction and Interference of a Bose-Einstein Condensate Scattered
		from an Atom Chip-Based Magnetic Lattice 173
		A. Günther, T.E. Judd, J. Fortágh and C. Zimmermann
	6.1	Introduction 173
	6.2	Experimental Setup 174
	6.2.1	The BEC Apparatus 174
	6.2.2	The Magnetic Lattice Chip 177
	6.3	The Magnetic Lattice Potential 178
	6.3.1	Infinite Lattice 178
	6.3.2	Finite Size Effects 181
	6.3.3	The Double Meander Potential 182
	6.4	Diffraction and Interference 184
	6.4.1	Diffraction Scheme 184
	6.4.2	Theoretical Model for the Interaction 185
	6.4.3	Diffraction in the Raman–Nath Regime 189
	6.4.4	Evolution of the Wave Function after the Lattice Interaction 190
	6.5	Ballistic Expansion and Phase Imprinting 194
	6.6	Experimental Results 195
	6.7	Effect of Atomic Interactions 202
	~.,	

Modeling BEC Surface Diffraction 202 Density Profile Dynamics 203

6.7.1 6.7.2

6.7.3 6.7.4 6.7.5 6.8	Phase Modification by Inter-Atomic Interactions 204 Comparison of the Interacting Theory with Experiment 205 Locating the Low-Interaction Regime 206 Conclusion 207 References 208
7	Interferometry with Bose–Einstein Condensates on Atom Chips 211 Thorsten Schumm, Stephanie Manz, Robert Bücker, David A. Smith and Jörg Schmiedmayer
7.1	Introduction 211
7.2	Atom Chip BEC Splitters Based on Static Fields 213
7.2.1	Transverse Splitting 213
7.2.1.1	
7.2.1.2	
7.2.1.3	
7.2.2	Longitudinal Splitting 221
7.2.3	Electrostatic Splitter 222
7.3	Atom Chip BEC Splitters Based on Dressed Adiabatic Potentials 224
7.3.1	Dressed Adiabatic State Potentials 225
7.3.2	A BEC Splitter Based on Dressed Adiabatic State Potentials 228
7.3.3	Beyond the Rotating-Wave Approximation 230
7.3.4	Implementation on an Atom Chip 231
7.3.5	Advantages of RF-Induced Splitters over Static Splitters 232
7.4	Matter–Wave Interferometry with Bose–Einstein Condensates 234
7.4.1	Theoretical Aspects 234
7.4.2	Experimental Realizations 238
7.4.2.1	1 0 1
7.4.2.2	±
7.4.2.3	* *
7.4.2.4	0 0 1
7.5	Interferometry with 1D quasi condensates 246 Coherently Split 1D BECs: Coherence Dynamics 247
7.5.1 7.5.1.1	
7.5.1.2	- · · · · · · · · · · · · · · · · · · ·
7.5.1.2	Independent 1D BECs: Noise Statistics of Interference Amplitude 252
7.5.2.1	
7.5.2.2	
7.6	Summary and Outlook 257 References 259
8	Microchip-Based Trapped-Atom Clocks 265 Vladan Vuletić, Ian D. Leroux and Monika H. Schleier-Smith
8.1	Basic Principles 265
8.2	Atomic-Fountain versus Trapped-Atom Clocks 265
8.3	Optical-Transition Clocks versus Microwave Clocks 267

x	Contents	
	8.4	Clocks with Magnetically Trapped Atoms: Fundamental Limits to Performance 267
	8.5	Clocks with Magnetically Trapped Atoms: Experimental Demonstrations 271
	8.6	Readout in Trapped-Atom Clocks 274
	8.7	Spin Squeezing 277
		References 278
	9	Quantum Information Processing with Atom Chips 283 Philipp Treutlein, Antonio Negretti and Tommaso Calarco
	9.1	Introduction 283
	9.2	Ingredients for QIP with Atom Chips 284
	9.3	Qubit States with Long Coherence Lifetime 285
	9.4	Qubit Rotations (Single-Qubit Gates) 288
	9.5	Single-Qubit Readout (Single-Atom Detection) 290
	9.6	Single-Qubit Preparation (Single-Atom Preparation) 291
	9.7	Conditional Dynamics (Two-Qubit Gates) 291
	9.7.1	Internal-State Qubits and Collisional Interactions 292
	9.7.2	Motional-State Qubits and Collisional Interactions 298
	9.7.3	Alternative Chip-Specific Approaches to Entanglement Generation 300
	9.7.4	Cavity-QED-Based Schemes 300
	9.7.5	Quantum Gate Schemes that Can Be Adapted from Other Contexts 301
	9.8	Hybrid Approaches to QIP on a Chip 303
	9.8.1	Hybrid Approaches to Entanglement Generation 303
	9.8.2	Interfacing Atoms (Storage/Processing Qubits)
	0.0.2	with Photons (Flying Qubits) 304
	9.8.3	Quantum Information Technology for Precision Measurement
	9.9	and Other Applications 304 Conclusion and Outlook 305
	9.9	References 305
		References 303
	Part Four New Directions 309	
	10	Cryogenic Atom Chips 311
		Gilles Nogues, Adrian Lupaşcu, Andreas Emmert, Michel Brune, Jean-Michel
		Raimond and Serge Haroche
	10.1	Introduction 311
	10.2	Superconducting Atom Chip Setup:
		Similarities and Differences with Conventional Atom Chips 312
	10.2.1	Experimental Considerations 312
	10.2.1.1	
		The Cryogenic Cell 314
	10.2.2	Trapping and Cooling: First Results 316
	10.2.2.1	Magnetic Trap 316
	10.2.2.2	Forced Evaporation and Quantum Degeneracy 317

10.3	Perspectives for Cryogenic Atom Chips: A New Realm of Investigations 319
10.3.1	Probing the Superconducting Film Current Distribution 319
10.3.2	Integration of Atom Chips with Superconducting Circuit Elements 321
10.3.2.1	
10.3.2.2	
10.3.3	Atom Chips for Circular Rydberg States 325
10.4	Conclusion 328
10.1	References 329
11	Atom Chips and One-Dimensional Bose Gases 331
	I. Bouchoule, N.J. van Druten and C.I. Westbrook
11.1	Introduction 331
11.2	Regimes of One-Dimensional Gases 332
11.2.1	Strongly versus Weakly Interacting Regimes 334
11.2.2	Nearly Ideal Gas Regime 335
11.2.3	Quasi-Condensate Regime 338
11.2.3.1	Density Fluctuations 340
11.2.3.2	Phase Fluctuations 341
11.2.4	Exact Thermodynamics 342
11.3	1D Gases in the Real World 345
11.3.1	Transverse Trapping and Nearly 1D Bose Gases 345
11.3.2	Applying 1D Thermodynamics to a 3D Trapped Gas 347
11.3.3	Longitudinal Trapping 347
11.3.3.1	Local Density Approximation 348
11.3.3.2	Validity of the Local Density Approximation 349
11.3.4	3D Physics versus 1D Physics 349
11.4	Experiments 351
11.4.1	Failure of the Hartree–Fock Model 352
11.4.2	Yang–Yang Analysis 353
11.4.3	Measurements of Density Fluctuations 355
11.4.3.1	A Local Density Analysis 355
11.4.3.2	Ideal Gas Regime: Observation of Bunching 356
11.4.3.3	Quasi-Condensate Regime: Saturation of Atom Number Fluctuations 358
11.5	Conclusion 359
	References 360
12	Fermions on Atom Chips 365
	Marcius H.T. Extavour, Lindsay J. LeBlanc, Jason McKeever, Alma B. Bardon, Seth Aubin, Stefan Myrskog, Thorsten Schumm and Joseph H. Thywissen
12.1	Introduction 365
12.2	Theory of Ideal Fermi Gases 366
12.2.1	Thermodynamics 366
12.2.2	Density Distribution 368

12.2	3 Crossover to Fermi Degeneracy 370
12.3	The Atom Chip 371
12.3	1 Chip Construction and Wire Pattern 372
12.3	2 Electrical and Mechanical Connections 372
12.3	
12.4	Loading the Microtrap 373
12.4	1 Laser Cooling and Magnetic Transport to the Chip 374
12.4	2 Loading Bosons and Fermions onto the Atom Chip 374
12.4	3 Effective Trap Volume 375
12.4	4 A Full Tank of Atoms: Maximum Trapped Atom Number 376
12.4	5 Effect of Geometry on Loaded Atom Number 377
12.5	Rapid Sympathetic Cooling of a K-Rb Mixture 377
12.5	1 Forced Sympathetic RF Evaporation 378
12.5	2 K-Rb Cross-Thermalization 379
12.5	3 Density-Dependent Loss 380
12.5	4 Required Temperature 380
12.5	5 Experimental Signatures of Fermi Degeneracy 381
12.6	Species-Selective RF Manipulation 382
12.6	1 Sympathetic RF Evaporation 383
12.6	2 Species-Selective Double Wells 385
12.7	Fermions in an Optical Dipole Trap near an Atom Chip 387
12.7	.1 Optical Trap Setup 388
12.7	2 Loading the Optical Trap 388
12.7	3 Microwave and RF Manipulation 389
12.8	Discussion and Future Outlook 390
	References 391
13	Micro-Fabricated Chip Traps for Ions 395
	J.M. Amini, J. Britton, D. Leibfried and D.J. Wineland
13.1	Introduction 395
13.2	Radio-Frequency Ion Traps 396
13.2	
13.2	
13.3	Design Considerations for Paul Traps 399
13.3	
13.3	
13.3	3 Exposed Dielectric 402
13.3	±
13.3	<u> </u>
13.3	
13.4	Measuring Heating Rates 406
13.5	Multiple Trapping Zones 407
13.6	1 11 0
	Trap Modeling 408
13.6	1 0
13.6 13.6	1 Modeling 3D Geometries 408

13.7 Trap Examples 411 13.8

Future 415 References 417

Index 421

Preface

This book intends to give both an introduction and an in-depth review of the beautiful physics being done with atom chips. Topics range from the manipulation of single atoms to the quantum entanglement between many atoms, and from interferometry with atomic matter waves to studies of fundamental atom–surface interactions.

For about three decades researchers have used magnetic and electric fields from DC to optical frequencies to confine neutral atoms for a variety of experiments and applications. The term *atom chip* has come to designate setups where microscopic or micro-fabricated structures, typically confined to a surface, generate three-dimensional trapping fields in the vicinity of the surface.

At its inception, the atom chip was regarded primarily as a tool to conveniently generate electromagnetic fields varying on a small length scale, and as such is related to early prototypes of magnetic mirrors. In fact, the attainment of Bose–Einstein condensation on a chip in 2001 in Tübingen and Munich was the first landmark that brought atom chips to the attention of the physics community at large. Since then, a growing number of research groups has adopted microchips as a convenient and fast method for the creation of Bose–Einstein condensates (BECs), and now also degenerate Fermi gases.

The strongly confining, complex, multi-parameter potentials that can be realized with atom chips have enabled experimentalists to explore new situations. For example, studies of one-dimensional quantum gases are benefitting from extremely elongated single traps that can be generated on atom chips, and BECs have been diffracted from specifically designed magnetic lattices realized on the chip surface.

However, atom chips are not merely devices to form atom traps by a combination of conductors and insulators on a surface. Atom chips promise rich functionality and integrability, and possibly nano-scale miniaturization, as advertised early on by a number of researchers in the field. The small length scale well matched to the condensate size and proximity of a solid surface have opened up and driven further research possibilities. The first and perhaps most immediate example is the investigation of fundamental surface-induced forces, such as the van der Waals and Casimir–Polder forces. This field has progressed and expanded considerably due to the close and stimulating interaction between atom chip experimentalists and theorists. Furthermore, the repertoire of fields and interactions used on atom chips

has grown to include radiofrequency and microwave potentials, resonant and fardetuned optical fields in miniature optical devices, as well as surface interactions with micro-mechanical structures. In each case, the small-scale, near-field situation of the atom chip has been exploited in ingenious ways to create new and rich physical situations that go beyond the possibilities of macroscopic experiments. Examples include coupling of a BEC to an oscillating mechanical cantilever, cavity quantum electrodynamics experiments with BECs, and some of the most beautiful condensate interferometry experiments performed so far.

The combination of these features makes atom chips an interesting platform for quantum information and quantum simulation experiments. This has also motivated the development of the newest family of atom chips, surface-electrode-based ion traps, which present both similarities and interesting differences compared to their neutral-atom counterparts.

A third area has emerged where atom chips are used as a means to construct the most compact and robust ultra-cold atom devices. The very recent demonstration of BEC in microgravity was enabled by an atom chip. Trapped-atom clocks on atom chips are being explored as promising secondary frequency standards. The idea of "integrated atom optics" on atom chips as a means to build atom interferometers emerged with the first atom chip experiments, but is certainly still in its infancy today. Last but not least, experiments with BECs in cryogenic environments also benefit from the small size and robustness of atom chips.

This book represents a collective effort by the community of atom chip researchers to outline the state of their knowledge as of 2009/2010. Each chapter starts with a thorough introduction before exposing the state of the art on a specific topic. Additionally, there are introductory chapters describing the particularities of designing magnetic potentials and producing BECs on atom chips, as well as on atom chip fabrication. The latter is discussed in a tutorial style and sufficient detail to enable a researcher with minimal micro-fabrication knowledge to start fabricating atom chips. In this way, we hope that the book will be valuable for students and researchers who are entering the field of atom chips or are active in one of the neighboring fields, but also for anyone desiring to get an overview of this beautiful and active area of contemporary quantum physics.

Paris and Cambridge, June 2010

Jakob Reichel and Vladan Vuletić

List of Contributors

Jason M. Amini

Signature Technology Laboratory Georgia Technology Research Institute 400 Tenth Street Atlanta, GA 30318 USA

Seth Aubin

Department of Physics College of William and Mary Williamsburg, VA 23185 USA

Alma B. Bardon

Department of Physics University of Toronto 60 St. George Street Toronto, Ontario M5S 1A7 Canada

Isabelle Bouchoule

Laboratoire Charles Fabry de l'Institut d'Optique Campus Polytechnique RD 128 91127 Palaiseau Cedex France

Joe Britton

Time and Frequency Division National Institute of Standards and Technology 325 Broadway Boulder, CO 80305 USA

Michel Brune

Laboratoire Kastler Brossel de l'E.N.S. 24, rue Lhomond 75231 Paris Cedex 05 France

Robert Bücker

Atominstitut der Österreichischen Universitäten TU Wien Stadionallee 2 1020 Wien Austria

Tommaso Calarco

Institut für Quanteninformationsverarbeitung Universität Ulm Albert-Einstein-Allee 11 89069 Ulm Germany

Andreas Emmert

Laboratoire Kastler Brossel de l'E.N.S. 24. rue Lhomond 75231 Paris Cedex 05 France

Marcius H. T. Extavour

Ontario Power Generation 700 University Avenue Toronto, Ontario Canada, M5G 1X6

Ron Folman

Atom Chip Group Ben-Gurion University Be'er Sheva, 84105 Israel

József Fortágh

Physikalisches Institut Universität Tübingen Auf der Morgenstelle 14 72076 Tübingen Germany

A. Günther

Physikalisches Institut Universität Tübingen Auf der Morgenstelle 14 72076 Tübingen Germany

Peter Hannaford

Centre for Atom Optics & Ultrafast Spectroscopy Faculty of Engineering and Industrial Swinburne University of Technology Serpells Lane, Mail H38, PO Box 218 Hawthorn, Victoria 3122 Australia

Serge Haroche

Laboratoire Kastler Brossel de l'E.N.S. 24. rue Lhomond 75231 Paris Cedex 05 France

Carsten Henkel

Institut für Physik und Astronomie Campus Golm Universität Potsdam 14476 Potsdam Germany

Edward A. Hinds

Centre for Cold Matter Blackett Laboratory Imperial College London Prince Consort Road London SW7 2A7. United Kingdom

Thomas E. Judd

Physikalisches Institut Universität Tübingen Auf der Morgenstelle 14 72076 Tübingen Germany

Lindsay J. LeBlanc

Department of Physics University of Toronto 60 St. George Street Toronto, Ontario M5S 1A7 Canada

Dietrich Leibfried

Time and Frequency Division National Institute of Standards and Technology 325 Broadway Boulder, CO 80305 **USA**

Ian D. Leroux

MIT Department of Physics 77 Massachusetts Avenue Cambridge, MA 02139 USA

Adrian Lupascu

Institute for Quantum Computing University of Waterloo 200 University Ave. W. Waterloo, ON N2L 3G1 Canada

Stephanie Manz

Atominstitut der Österreichischen Universitäten TU Wien Stadionallee 2 1020 Wien Austria

Jason McKeever

Entanglement Technologies Palo Alto, CA 94306 USA

Stefan Myrskog

Morgan Solar Inc. 30 Ordnance St. Toronto, Ontario M6K 1A2 Canada

Antonio Negretti

Institut für Quanteninformationsverarbeitung Universität Ulm Albert-Einstein-Allee 11 89069 Ulm Germany

Gilles Nogues

Institut Neel 25 avenue des Martyrs bâtiment T, BP 166 38042 Grenoble cedex 9

Jean-Michel Raimond

Laboratoire Kastler Brossel de l'E.N.S. 24. rue Lhomond 75231 Paris Cedex 05 France

Jakob Reichel

Laboratoire Kastler Brossel de l'E.N.S. 24. rue Lhomond 75231 Paris Cedex 05 France

Stefan Scheel

Blackett Laboratory Imperial College London Prince Consort Road London SW7 2AZ United Kingdom

Monika H. Schleier-Smith

MIT Department of Physics 77 Massachusetts Avenue Cambridge, MA 02139 USA

Jörg Schmiedmayer

Atominstitut der Oesterreichischen Universitäten TU Wien Stadionallee 2 1020 Vienna Austria

Thorsten Schumm

Atominstitut der Österreichischen Universitäten TU Wien Stadionallee 2 1020 Wien Austria

Andrei Sidorov

Centre for Atom Optics & Ultrafast Spectroscopy Faculty of Engineering and Industrial Science Swinburne University of Technology Serpells Lane, Mail H38, PO Box 218 Hawthorn, Victoria 3122

David A. Smith

Australia

Atominstitut der Österreichischen Universitäten TU Wien Stadionallee 2 1020 Wien Austria

Joseph H. Thywissen

Department of Physics University of Toronto 60 St. George Street Toronto, Ontario M5S 1A7 Canada

Philipp Treutlein

University of Basel Department of Physics Klingelbergstrasse 82 CH-4056 Basel Switzerland

N. J. (Klaasjan) van Druten

Van der Waals-Zeeman Instituut Universiteit van Amsterdam Valckenierstraat 65-67 1018 XE Amsterdam Netherlands

Vladan Vuletić

MIT Department of Physics 77 Massachusetts Avenue Cambridge, MA 02139 USA

Christopher I. Westbrook

Laboratoire Charles Fabry de l'Institut d'Optique Campus Polytechnique RD 128 91127 Palaiseau Cedex France

David J. Wineland

Time and Frequency Division National Institute of Standards and Technology 325 Broadway Boulder, CO 80305 USA

C. Zimmermann

Physikalisches Institut Universität Tübingen Auf der Morgenstelle 14 72076 Tübingen Germany